
NEW

BAD BOY

Choke Control Cable

Conduit Length 69" (1752.6mm)
Cable Length 71" (1803.4mm)

Order No. 03 - 17832
Choke Cable replaces Bad Boy 54-8019-00. Fits Rebel and Rogue 2019 to 2025 with 36HP Vanguard engines.



Conduit Length 59" (1498.6mm)
Cable Length 61" (1549.4mm)


Order No. 03 - 17833
Choke Cable replaces Bad Boy 54-8017-00. Fits MZ, ZT, Maverick, Rebel and Rogue.



Throttle Control Cable


Conduit Length 59" (1498.6mm)
Cable Length 61" (1549.4mm)

Order No. 03 - 17834
Throttle Cable replaces Bad Boy 055-8022-00. Fits Rebel and Rogue 2019 to 2025 with 36 HP Vanguard engines.



Cable Length 52" (1320.8mm)

Order No. 03 - 17197
Throttle Cable replaces Bad Boy 055-8021-75. Fits 2013-2018 Outlaw, Outlaw Extreme, Outlaw XP, 2019 -2026 Rebel, Renegrade-Gas, Revolt and Rogue.




CUB CADET

Choke Cable

Cable Length 51" (1295.4mm)

Order No. 03 - 17821
Throttle Cable replaces Cub Cadet 746P06891. Fits models ZT1-42, 50, 54,. ZTS1-42, 46, 50. ZTS2-54, 60, ZT2-60.



Conduit Length 43-1/2" (1104.9mm)
Cable Length 44-1/2" (1130.3mm)

Order No. 03 - 17822
Choke Cable replaces Cub Cadet 946-05114. Fits models XT1-46, XT2-GX50, XT2-GX54, XT2-LX42, XT2-LX46, XT2-LX50, XT2-LX54, ZT1-42, ZT1-46, ZT1-50, ZT1-54P, ZT2-50, ZT2-54, ZT2-60, ZT3-60.



Conduit Length 51-1/2" (1308.1mm)
Cable Length 52-1/2" (1333.5mm)

Order No. 03 - 17823
Choke Cable replaces Cub Cadet 746P06931. Fits models ZT1-42, 46, 50, 54. ZTS1-42, 46, 50. ZTS2-50, 54, 60.




NEW

CUB CADET

Throttle Cable


Order No. 03 - 17847
Throttle Cable replaces Cub Cadet 7946-05223. Fits models XT1-LT46, LT50, & ST54. XT2-GX50, GX54 & GX54D. Also fits MTD and TroyBilt.

Cable Length 43.5" (1104.9mm)



Order No. 03 - 17848
Throttle Cable replaces Cub Cadet 746P06892. Fits models ZT1-42 KW, 46 KW, 50 KW.

Cable Length 38.5" (977.9mm)




Order No. 03 - 17849
Throttle Cable replaces Cub Cadet 746P06491. Fits models ZTX4-48 KH, 54 KH, 60 KH. ZTXS4-48 KH, 54 KH, 60 KH.

Cable Length 51" (1295.4mm)




Order No. 03 - 17850
Choke Cable replaces Cub Cadet 746P05992. Fits models ZT1-46, ZTX4-48 KH, 54 KH, 60 KH. ZTXS4-48 KH, 54 KH, 60 KH. Also fits TroyBilt Mustang Z42, 46 and 50.

Cable Length 51.5" (1308.1mm)




Order No. 03 - 17859
Throttle Cable replaces Cub Cadet 946-05098C. Fits models XT1-GT50 KH, GT54 KH. XT1-LT46 KH. Also fits many MTD and TroyBilt models.

Cable Length 43.5" (1104.9mm)



Order No. 03 - 17860
Throttle Cable replaces Cub Cadet 746P06996. Fits models ZT -54 KH, 60 KH. ZTS1-42 KH, 46 KH, 50 KH. ZTS2-50 KH and 60KH after 9/1/23. Also fits MTD z5200, z5450, z5400, z5800. Fits TroyBlit Mustang Z42, Z46, Z50, Z54 and Z54 XP after 2023.

Cable Length 43.5" (1104.9mm)




HUSQVARNA

Throttle Cable


Order No. 03 - 17835
Throttle Cable replaces Husqvarna 574207001. Fits IZ4817, PZ29, PZ34, PZ54, PZ5426.

Conduit Length 46" (1168.4mm)
Cable Length 48" (1219.2mm)



Order No. 03 - 17836
Throttle Cable replaces Husqvarna 574207002. Fits PZ29, PZ34, PZ5426, PZ60, PZ6029, PZ6030, PZ6034, PZ72, and PZ7234.

Conduit Length 59" (1498.6mm)
Cable Length 61" (1549.4mm)



NEW

HUSTLER

Choke Control Cable

Conduit Length 43.5" (1104.9mm)
Cable Length 45.5" (1155.7mm)

Order No. 03 - 17829
Choke Cable replaces Hustler 601097. Fits Raptor, Super 88, Super S, TrimStar models with Kawasaki engines.



Conduit Length 41" (1041.4mm)
Cable Length 43" (1092.2mm)

Order No. 03 - 17830
Choke Cable replaces Hustler 601095. Fits Surf Pro and Super 108.



Conduit Length 48.375" (1228.7mm)
Cable Length 50.25" (1276.35mm)

Order No. 03 - 17831
Choke Cable replaces Hustler 786657. Fits Super S, TrimStar and Fastrak.



Conduit Length 37.5" (952.5mm)
Cable Length 38.5" (977.9mm)

Order No. 03 - 17856
Choke Cable replaces Hustler 608276. Fits Dash XD 34", 42", 48".



Conduit Length 61.25" (1555.7mm)
Cable Length 63.25" (1606.5mm)


Order No. 03 - 17857
Choke Cable replaces Hustler 785030. Fits Fastrak & Fastrak SDX 48", 54", 60". X-ONE 52" & 60" and many more.



Throttle Control Cable

Conduit Length 39" (990.6mm)
Cable Length 41" (1041.4mm)

Order No. 03 - 17824
Throttle Cable replaces Hustler 601096. Fits Raptor SD and SDX 2019 and before.



Conduit Length 50" (1270mm)
Cable Length 52" (1320.8mm)

Order No. 03 - 17825
Throttle Cable replaces Hustler 603487. Fits Super Z, Super Z HD, and X-one.



NEW

HUSTLER (cont.)

Throttle Control Cable

Conduit Length 45" (1143mm)
Cable Length 47" (1193.8mm)

Order No. 03 - 17826
Throttle Cable replaces Hustler 603475. Fits Super S and X-One.



Conduit Length 43" (1092.2mm)
Cable Length 46" (1168.4mm)

Order No. 03 - 17827
Throttle Cable replaces Hustler 606472. Fits Fastrak and Fastrak SDX.



Conduit Length 43" (1092.2mm)
Cable Length 45" (1143.0mm)

Order No. 03 - 17828
Throttle Cable replaces Hustler 778365. Fits Fastrak, Fastrak SDX and Super S.



Conduit Length 51" (1295.4mm)
Cable Length 53" (1346.2mm)

Order No. 03 - 17851
Throttle Cable replaces Hustler 608275. Fits Dash XD 34", 42" and 48".



Conduit Length 37" (939.8mm)
Cable Length 39" (990.6mm)

Order No. 03 - 17852
Throttle Cable replaces Hustler 608190. Fits Raptor XD 42", 48", 54" and 60".



Conduit Length 50" (1270mm)
Cable Length 52" (1320.8mm)

Order No. 03 - 17855
Throttle Cable replaces Hustler 601094. Fits Fastrak 48", 54", 60". TrimStar 36", 48", 54". X-ONEi.



MTD

Throttle/Choke Cable

Cable Length 57" (1447.8mm)

Order No. 03 - 17901
Throttle/Choke control cable replaces MTD 946-05145. Fits Cub models RZT-L42KH, RZT-L46KH FAB, RTZ-L46KHRZT-L50KH. Fits MTD models Z6000, Z6400, Z6600, Z6900, 54XP, Pivot S 54, ZT-L42, ZT-L50, ZT-L54. Fits TroyBilt models 42XP, 46XP, 50XP, 54XP, XP50, XP42, XP54, Pivot 46 and XP Pivot S 46.




NEW

MTD (cont.)

Throttle/Choke Cable

Conduit Length 43.5" (1104.9mm)
Cable Length 51" (1295.4mm)

Order No. 03 - 17894
Throttle/Choke control cable replaces MTD 746P06431. Fits Cub/MTD models XT1-GT50KH, XT1-GT-54KH, XT1-LT46KH and XT1-LT50KH. MTD models CMXGRAM1130044, CMXGRAM1130045, CMX-GRAM1130047, CMXGRAM211302, CMXGRAM211303 and CYT42205E.



Control Cable

Conduit Length 46" (1168.4mm)
Cable Length 52.25" (1327.2mm)


Order No. 03 - 17895
Control cable replaces MTD 946-0557. Fits Cub/MTD models 12A-378Q795, 12A-948J099, 12A-948K099, 12A-959D190, 12A-986Q795, 12A-98K7209, 12A-989Q710, 12A-98M7009 and many others.



Deck Engagement Cable

Conduit Length 42.5" (1079.5mm)
Cable Length 37" (939.8mm)

Order No. 03 - 17820
Deck engagement cable for MTD 946-05087, Cub Cadet, and Troybilt. Fits XT1, XT2, LT46, LX42, LX46 and others.



STIHL

Throttle Cable

Conduit Length 39.4" (1000.7mm)
Cable Length 45.1" (1145.5mm)

Order No. 03 - 17846
Throttle Cable replaces Stihl 4126-180-1110. Fits models FS86, FS88, FS106 and some FS62, FS66, and FS81.



TORO

Engine Brake Cable

Conduit Length 53.5" (1358.9mm)
Cable Length 63.5" (1612.9mm)

Order No. 05 - 17705
Engine Brake Cable replaces Toro 115-8439. Fits 22" Recycler mowers.



Roller Pin for HONDA

ID 1/2" (12.70mm)
OD 1.63" (41.40mm)

Order No. 05 - 17914
Roller Pin replaces Honda 91101-VA4-801. Fits models HR214, HR215, HRC215, HRC216 and many more.



NEW

Deck Gauge Wheel for SPARTAN



Width 3-5/8" (92.07mm)
ID 1/2" (12.7mm)
Height 5" (127mm)

Order No. 07 - 17870
Deck Gauge Wheel replaces 422-0061-00 and 422-0001-00.
Fits mower models KG, SRT, RT, and RZ. Centered hub.

Tires for KENDA



Order No.	Tread / Description
K3012 - 4-Ply - Kenda Tubeless Tire	
08 - 17703	Kenda 20 x 10.00 x 8 - K3012, 4 Ply tubeless tire
08 - 17955	Kenda 20 x 10.00 x 10 - K3012, 4 Ply tubeless tire
08 - 17956	Kenda 23 x 9.50 x 12 - K3012, 4 Ply tubeless tire
08 - 17704	Kenda 24 x 12.00 x 12 - K3012, 4 Ply tubeless tire

Tires for GALAXY



Order No.	Tread / Description
Turf Tread - 4-Ply - GALAXY MIGHTY MOW	
08 - 17837	Galaxy Mighty Mow 20 x 8.00 x 8, tubeless tire
08 - 17838	Galaxy Mighty Mow 18 x 10.50 x 10, tubeless tire
08 - 17840	Galaxy Mighty Mow 22 x 11.00 x 10, tubeless tire
08 - 17841	Galaxy Mighty Mow 26 x 12.00 x 12, tubeless tire
Turf Tread - 6-Ply - GALAXY MIGHTY MOW	
## - 17839	Galaxy Mighty Mow 23 x 10.50 x 12, tubeless tire

The Galaxy Mighty Mow tubeless tire is a specifically designed mower tire with a unique tread pattern for turf with maximum turf protection. Highly durable and long lasting. Delivered as manufactured (Non Compressed).

Tires for CARLISLE



	Order No.	Tread / Description
	Turf Armor - 4-Ply - Carlisle Tire	
⚠	08 - 17946	Turf Armor 20 x 10.00 x 8, tubeless tire
⚠	08 - 17949	Turf Armor 20 x 8.00 x 8, tubeless tire

Transform your lawncare game with Carlisle Turf Armor tire - a rugged and high performance solution tailored for challenging terrain. Engineered with an updated design and unique multi-angled tread pattern. The Turf Armor tire ensures unparalleled traction and ground protecton.

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

NEW

Tires for CARLISLE (cont.)

	Order No.	Tread / Description
	VERSA TRAC - 2-Ply - Carlisle Tire	
⚠	08 - **17950**	Versa Trac 20 x 10.00 x 8, tubeless tire
	08 - **17951**	Versa Trac 20 x 12.00 x 8, tubeless tire
⚠	08 - **17952**	Versa Trac 20 x 8.00 x 8, tubeless tire



Carlstar Versa Trac Tire is a Ultra Cross powersports tire redesign for lawn and garden use. Enjoy superior traction with multi-angle lug edges, maximum turf protection with a flat profile and large tread buttons and enhanced ozone resistance for longevity. Self-cleaning mud breakers ensure consistent performance. Suitable for residential and professional zero-turn mowers and garden tractors.

Steering Bushing for MTD

ID 0.625" (15.87mm)
OD 1.125" (28.57mm)
Thickness .3125" (7.93mm)



Order No. 09 - 17778
Steering Bushing replaces MTD 741-04124. Fits MTD model 13A series from 2007 to 2025. Fits TroyBilt Pony, Bronco, Horse and Tuffy from 2010-2023.

Seal Guard / Dust Cap

ID 1/2" (12.70mm)
OD 1.63" (41.40mm)



Order No. 09 - 17861
1/2" x 1.63" seal guard / dust cap. Used on front caster wheels to protect wheel bearings from debris. (1 pair)

Spacer for TORO/EXMARK

ID 0.658" (16.71mm)
OD 1.00" (25.4mm)
Length .850" (21.59mm)



Order No. 09 - 17906
Spacer for Toro/Exmark 98-7913. Fits Toro models 30078, 30489, 72264 TE.

Spanner Bushing for TORO/EXMARK

ID 0.383" (9.72mm)
OD .625" (15.87mm)
Length .6.25" (158.75mm)



Order No. 09 - 17911
Spanner bushing replaces Toro/Exmark 98-5967.

Bottom Spindle Spacer for SCAG

ID 0.6400" (16.25mm)
OD 1-1/2" (38.10mm)
Height 1.2600" (32.00mm)



⚠

Order No. 10 - 17805
Spacer for spindle bottom for Scag. Replaces Scag 43590. Fits models SCR48-25CH, SCZ52V-23FX, and SCZ61RD-31FX.


Steering Sector Gear for MTD

ID .6250" (15.87mm)



Order No. 10 - 17780
Steering Sector Gear replaces MTD 617-04024A. Fits MTD models series 13A, 13AC, 13AJ, 13AM, 13AN and many others 2005 to 2008. Fits Troy-Bilt Pony, Bronco, Horse, Tuffy and Thouroghbred 2005 to 2010.

NEW

Order No.	Description	Length Overall	Coil Length	Coil Dia.	Wire Dia.
Springs					
 10 - **17891**	**Belt Tensioner Spring,** replaces Hustler 036384. Fits models FasTrak and TrimStar mower decks. Also fits Hustler Z & Mini Z Bac-Vac blower units.	3.30"	1.69"	1.24"	.125"
		83.82mm	42.92mm	31.49mm	3.17mm
 10 - **17781**	**Drive Belt Tensioner,** replaces MTD. Replaces MTD 732-04306. Fits MTD model series 13A 2006 to 2020. Fits Cub Cadet CC30E electric mini rider. Fits Troy-Bilt model series 13A Pony, Bronco and Tuffy.	3.47"	2.18"	.80"	.09"
		88.3mm	55.5mm	20.32mm	2.5mm
 10 - **17890**	**Pump Idler Spring,** replaces Hustler 605655. Fits Hustler models with flip up deck.	3.50"	1.78"	1"	.115"
		88.90mm	45.21mm	25.4mm	2.92mm
 10 - **17887**	**Hydro Belt Tensioner Spring,** replaces Hustler 604490. Fits models Raptor, Raptor Limited, and Raptor SD.	3"	2.19"	.50"	.063"
		76.2mm	55.62mm	12.7mm	1.60mm
 10 - **17779**	**Shift Lever Spring,** replaces MTD 732-04488. Fits MTD model series 13A, 13AC, 13AB, 13Ad, 13AJ and many others. Fits Cub Cadet Pro Z and Z Force mowers. Fits Troy-Bilt model series 13A Pony Bronco and Tuffy.	3.46"	1.94"	.040"	.051"
		88mm	49.3mm	10.1mm	1.3mm
 10 - **17777**	**Blade Idler Spring,** replaces MTD, Cub Cadet and Troy-Bilt mowers. Replaces MTD 732-04629. Fits MTD model series 13A277, 13A278, 13A878, 13AL, 13AM and many more. Fits Cub models XT1-LT42, XT1-LT46 and Pro HW mowers. Fits Troy-Bilt Pony, Bronco, Super Bronco and Horse mowers.	4.44"	3.17"	.75"	.086"
		113mm	80.6mm	19.2mm	2.2mm
 10 - **17908**	**Deck Belt Tensioner Spring,** replaces Hustler 605379. Fits models Dash 34", Dash XD 34" & 48", Raptor 36" and Surfer Pro 34".	5"	3.00"	1.12"	.106"
		127mm	76.2mm	28.44mm	2.69mm
 10 - **17886**	**Hydro Drive Spring,** replaces Hustler 781302. Fits models Super Z, Super S, Super 104, X-One, FasTrak, TimerStar, XR-7, Diesel Z, Mini Z and Super Mini Z.	5.90"	3.33"	1.50	.148"
		149.86mm	84.58mm	38.10mm	3.75mm
 10 - **17904**	**Extension Drive Spring,** replaces MTD 732-04616 & 732-04616B. Fits Cub models LTX1040. Fits MTD models T110, T1200, T1300, T1400, L1500, LT2000. Fits Troy-Bilt models TB42, Bronco 42, Bronco 42T, Bronco 46, Bronco 46X and Bronco 46T.	6.40"	4.56"	.097"	.118"
		162.6mm	116mm	24.6mm	3.0mm
 10 - **17885**	**Deck Belt Tensioner Spring,** replaces Hustler 607616, 604291, 122338. Fits models Dash, Fastrak, Raptor, Super S, Super 104 and TrimStar.	6.55"	4.76"	1.25"	.138"
		166.37mm	120.90mm	31.75mm	3.50mm

NEW

Order No.	Description	Length Overall	Coil Length	Coil Dia.	Wire Dia.
Springs (cont.)					
 10 - **17888**	**Deck Tension Spring,** replaces Hustler 603966. Fits model Super 104.	6.50"	4.94"	1.25"	.162"
		165.1mm	125.47mm	31.75mm	4.11mm
 10 - **17889**	**Deck Idler Spring,** replaces Hustler 605497. Fits Hustler models with flip up deck.	7.60"	3.80"	2"	.200"
		193.04mm	96.52mm	50.8mm	5.08mm
 10 - **17907**	**Drive Belt Spring,** replaces Hustler 601016. Fits Hustler models Super Z, Diesel Z, RX-7, X-One and Super 104.	7.65"	6.20"	1.29"	.177"
		194.31mm	157.48mm	32.91mm	4.49mm
 10 - **17915**	**Extension Spring,** replaces MTD. Replaces MTD 732-04927. Fits Cub models RZT-L46, RZT-L54KH, RZT-L54KW, RTZ-S46, RTZ-S54, XT1-LT54, XT2-GX54 and Z-Force L60.	8.80"	6.94"	1.19"	.137"
		223.5mm	176.5mm	30.4mm	3.5mm
 10 - **17902**	**Extension Deck Spring,** replaces MTD. Replaces MTD 732-06226. Fits Cub models Z2-42 KW FAB, Z2-46 KW FAB, Z2-50 KW FAB, Z2-54 KW FAB, Z2-60 KW FAB, Z3-50 KW FAB, Z3-54 KW FAB, Z3-60 KW FAB. Fits MTD models 17ARFACT093, 17AR-FACW093, 17RRFACW093. Fits TroyBilt models 17AFFACS066, 17ARFACSA66, 17ARFACWA66, 17BRFACQA66.	10.51"	5.03"	.75"	.102"
		267mm	128mm	19.4mm	2.6mm
 10 - **17903**	**Extension Deck Spring,** Replaces MTD 732-04612. Fits Cub models LTX1040. Fits MTD models T1200, T1400, LT2000, T1600, M195-42 and others. Fits TroyBilt models TB42, TB46, Bronco and Thouroghbred.	13.2"	5.27"	.50"	.062"
		336.1mm	134mm	12.7mm	1.6mm

Order No.	Min Qty.	Description	Length Overall	Coil Length	Width.	Wire Dia.
Dethatcher Spring for Agri-Fab						
 10 - **17883**	MIN 10	**Dethatcher Spring,** replaces Agri-Fab 43783. Fits 40" models 45-0294, 45-02941, 45-02942131 and 48" models 45-0295, 45-02951.	8"	.75"	4.6"	.187"
			203.2mm	19.05mm	116.8mm	4.74mm

NEW

Spindle Assembly for ARIENS



Order No. 10 - 17920

Spindle Assembly replaces Ariens 51537200, 51528000. Fits models 52" Ikon-X, Ikon-XL, Ikon-XD, Ikon -XD Limited and Ikon Edge. Also fits 52" Gravely ZT, XL, ZTX and ZTX Stealth deck .

Spindle Assembly for BOBCAT



Order No. 10 - 17807

Spindle Assembly replaces Bobcat 4171231. Fits models ZT3000 and ZT3500 Zero Turn mowers.

Spindle Assembly for EXMARK



Order No. 10 - 17806

Spindle Assembly replaces Exmark 126-4630. Fits models Radius E-Series 44, 48, 52, and 60. Also fits Radius S-Series 48, 52, and 60.

Spindle Assembly for MTD



Order No. 10 - 17782

Spindle Assembly for MTD/Cub Cadet. Replaces MTD 618P09259 and 618-09259. Compatible with MTD "S" hole blade and Rotary Diamond hole blade. (Uses Rotary **17784** shaft) Mounting hardware included. (Height 6.5").

Spindle Assembly for MTD



Order No. 10 - 17783

Spindle Assembly for MTD/Cub Cadet. Replaces MTD 618P09258 and 618-09258. Compatible with MTD "S" hole blade and Rotary Diamond hole blade. (Uses Rotary **17784** shaft) Mounting hardware included. (Height 6.5").

Spindle Shaft for MTD



Order No. 10 - 17784

Spindle Shaft for MTD/Cub Cadet. Replaces MTD 738-06414. Compatible with MTD "S" hole blade and Rotary Diamond hole blade. (Used in Rotary **17782, 17783** Spindle). (Length 6.81").

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

NEW

Spindle Assembly for MTD



Order No. 10 - 17785
Spindle Assembly for MTD/Cub Cadet. Replaces MTD 618P09256 and 618-09256. Compatible with MTD "S" hole blade and Rotary Diamond hole blade. (Uses Rotary **17788** shaft) Mounting hardware included. (Height 6.81").

Spindle Assembly for MTD



Order No. 10 - 17786
Spindle Assembly for MTD/Cub Cadet. Replaces MTD 618P09236 and 618-09236. Compatible with MTD "S" hole blade and Rotary Diamond hole blade. (Uses Rotary **17788** shaft) Mounting hardware included. (Height 6.81").

Spindle Assembly for MTD



Order No. 10 - 17787
Spindle Assembly replaces MTD/Cub Cadet 618P09260 and 618-09260. Compatible with MTD "S" hole blade and Rotary Diamond hole blade. Mounting hardware included. Uses Rotary **17788** shaft. (Height 6.81").

Spindle Shaft for MTD



Order No. 10 - 17788
Spindle Shaft for MTD/Cub Cadet. Replaces MTD 738-06255. Compatible with MTD "S" hole blade and Rotary Diamond hole blade. (Used in Rotary **17785, 17786, 17787** Spindle). (Length 6.81").

Spindle Assembly for MTD



Order No. 10 - 17789
Spindle Assembly replaces MTD/Cub Cadet 618P09255 and 618-09255. Compatible with MTD "S" hole blade and Rotary Diamond hole blade. Mounting hardware included. Uses Rotary **17790** shaft. (Height 6.25").

Spindle Shaft for MTD



Order No. 10 - 17790
Spindle Shaft for MTD/Cub Cadet. Replaces MTD 738-06435. Compatible with MTD "S" hole blade and Rotary Diamond hole blade. (Used in Rotary **17789** Spindle). (Length 6.25").

NEW

Spindle Assembly for MTD



Order No. 10 - 17791
Spindle Assembly replaces MTD/Cub Cadet 618P09395 and 618-09395. Compatible with MTD "S" hole blade and Rotary Diamond hole blade. Mounting hardware included. Uses Rotary **17792** shaft. (Height 7.25").

Spindle Shaft for MTD



Order No. 10 - 17792
Spindle Shaft for MTD/Cub Cadet. Replaces MTD 738-06439. Compatible with MTD "S" hole blade and Rotary Diamond hole blade. (Used in Rotary **17791** Spindle). (Length 7.25").

Spindle Assembly for SPARTAN



Order No. 10 - 17919
Heavy Duty Spindle Assembly replaces Spartan 437-0005-00. Fits models RT, RT Pro, RT HD, SRT, SRT XD, SRT XDE, RZ, RZ Pro series. For 54", 61" & 72" cut models .

Spindle Assembly for TORO



Order No. 10 - 17953
Spindle Assembly replaces Toro 119-8560, 115-3621, 117-6157, 117-6158. Fits models Z Master Z400 48", 52"; Z500 52", 60", 72"; Z Master G3 48", 52", 60"; GrandStand 48", 52"; Z Master Professional 7000 series 53" & 60" cut.

Spindle Housing for TORO



Order No. 10 - 17954
Spindle Housing replaces Toro 139-2357. Fits models TimeCutter HD X4850 and X5450, Titan X4850, X5450, XS4850, XS5450, Proline Commercial Walk-Behind 36" and 48" floating deck.

Electric Clutch for TORO



Order No. 10 - 17967
Electric Clutch replaces Toro 112-2320. Replaces Ogura GT2.5-TR01. Fits Toro models Z Master Professional 7000 series mower with turbo force side discharge.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

NEW

Harness for Electric PTO Clutch



Order No. 10 - 17872
Electric Clutch Pigtail. Replaces Warner 5218-251-001. Does not have a Diode like Hustler & Grasshopper use. Fits Rotary **11075, 12517** & **12835** PTO Clutch.

Belts



Order No.	Replaces OEM No.	Size	Description / Replaces
HUSQVARNA			
12 - 17804	592951801	1/2" x 151.30" (12.70 mm x 3843.02 mm)	**Deck Belt.** Fits MZ54 and Z254F mowers.

*** Made with KEVLAR® or non-trade marked Aramid fiber.** • "Belts are manufactured to meet OEM specifications"

Flat Idler Pulley for TORO

ID 11/16" (17.46mm)
OD 5-5/8" (142.87mm)
Height 1-1/4" (31.75mm)



Order No. 13 - 17842
Flat Idler Pulley replaces Toro 109-8076. Fits current/Late 48", 52",60", 72" Z Master 3000, 5000, 6000 Models - Current/Late 96" Z Master 7500 Models.

Pulley for JOHN DEERE

ID .60" (15.47mm)
OD 5.39" (136.9mm)
Height .835" (21.21mm)



Order No. 13 - 17858
Pulley replaces John Deere UC26511. Fits models X300, X310X, Z225 and Z235.

NEW

ORDER NO.		Replaces O.E.M No.	Length	Center Hole Diam.	Outside Hole Diam.	Center to Center	Width	Steel Thick	Application
Blades for HUSTLER									
15 - **17927**		609270	**16-1/2"** 419.1mm	6-point Star			2-1/2" 63.5mm	.204" 5.1mm	Fits 2026 Raptor X 48" Cuts.
15 - **17976**		609270	**16-1/2"** 419.1mm	6-point Star			2-1/2" 63.5mm	.204" 5.1mm	COPPERHEAD® Fits 2026 Raptor X 48" Cuts. Heavy Duty version of our **15-17927**
15 - **17928**		609269	**18-1/2"** 469.9mm	6-point Star			2-1/2" 63.5mm	.204" 5.1mm	Fits 2026 Raptor X 54" Cut.
15 - **17977**		609269	**18-1/2"** 469.9mm	6-point Star			2-1/2" 63.5mm	.204" 5.1mm	COPPERHEAD® Fits 2026 Raptor X 54" Cut. Heavy Duty version of our **15-17928**
15 - **17929**		609268	**20-1/2"** 520.7mm	6-point Star			2-1/2" 63.5mm	.204" 5.1mm	Fits 2026 Raptor X 42 and 60" Cut.
15 - **17978**		609268	**20-1/2"** 520.7mm	6-point Star			2-1/2" 63.5mm	.204" 5.1mm	COPPERHEAD® Fits 2026 Raptor X 42 and 60" Cut. Heavy Duty version of our **15-17929**

ORDER NO.		Replaces O.E.M No.	Length	Center Hole Diam.	Outside Hole Diam.	Center to Center	Width	Steel Thick	Application
Blades for SCAG									
15 - **17700**		483014	**14-3/4"** 374.65mm	.625" 15.8mm			2-1/2" 63.5mm	.204" 5.1mm	Fits Liberty 42" cut Zero Turn. Also fits Z Cat and Liberty Z Machines.

NEW

ORDER NO.		Replaces O.E.M No.	Length	Center Hole Diam.	Outside Hole Diam.	Center to Center	Width	Steel Thick	Application
Blades for SPARTAN									
15 - **17768**		148-0101	**16-1/2"** 419.1mm	1" 25.4mm			2-1/2" 63.5mm	.250" 6.3mm	Standard lift blade. Fits 2024 and newer 48" cut mowers..
15 - **17769**		148-0098	**18-1/2"** 469.9mm	1" 25.4mm			2-1/2" 63.5mm	.250" 6.3mm	Standard lift blade. Fits 2024 and newer 54" cut mowers.
15 - **17770**		148-0099	**21"** 533.4mm	1" 25.4mm			2-1/2" 63.5mm	.250" 6.3mm	Standard lift blade. Fits 2024 and newer 61" cut mowers.
15 - **17771**		148-0100	**24-1/2"** 622.3mm	1" 25.4mm			2-1/2" 63.5mm	.250" 6.3mm	Standard lift blade. Fits 2024 and newer 72" cut mowers.

Blade Washer for KUBOTA


ID 1.13" (28.7mm)
OD 2-3/4" (69.85mm)
Thickness .15" (3.81mm)



Order No. 17 - 17843
Blade Washer replaces Kubota K5651-34352 and K5651-34350.

Blade Washer for HUSTLER

ID .678" (17.22mm)
OD 2-1/4" (57.15mm)
Thickness .187" (4.75mm)



Order No. 17 - 17965
Blade Washer replaces Hustler 782474. Fits Super S, Super Z, FasTraks and many more. MIN 10

Pre-Filter for ECHO



Order No. 19 - 17921
Pre-Filter replaces Echo A226002250. Fits Echo 226002070. Fits our **16822** air filter

Hydro Filter for GRASSHOPPER



Order No. 19 - 17871
Hydro Filter replaces Grasshopper 130505 and Parker 411119. Fits Grasshopper front mount 600T, 700T, 700T6 series mowers equipped with Parker Tandem Pump Drives. 3" length, 2.5" cap end, 1.75" filter end.

NEW

Air Filter for HONDA

Length 5" (127mm)
Width 4" (101.6mm)
Height 1-3/16" (30.16mm)



Order No. 19 - 17912
Air Filter replaces Honda 17211-ZE1-000. Fits models GX120, GX 160, GX200, WA20, WB20, WA30, WB30, WD20, WD30, WH15, WH20, WP20, WP30.

Air Filter for WACKER NEUSON

Length 6-5/8" (168.28mm)
Width 3-3/4" (95.25mm)
Height 2" (50.8mm)



Order No. 19 - 17913
Air Filter replaces Wacker Neuson 157193. Fits models BS50-2, BS50-2i, BS50-4, BS50-4s, BS60-2, BS60-4, BS60-4s, BS70-2i, DS70.

Spark Plugs for CHAMPION



Order No.	Min Qty.	Description
SHOP PACK Spark Plug for CHAMPION		
24 - 17800	MIN 24	**RN14YC Champion** Spark Plug Shop Pack. Replaces NGK BPR2ES. Replaces Rotary **11655** shop pack. (24 pc)
24 - 17801	MIN 24	**RCJ6Y Champion** Spark Plug Shop Pack. Replaces NGK BPM7Y. Replaces Rotary **11651** shop pack. (24 pc)
24 - 17802	MIN 24	**CJ6Y Champion** Spark Plug Shop Pack. Replaces NGK BPM8Y. Replaces Rotary **11652** shop pack. (24 pc)
24 - 17803	MIN 24	**RCJ7Y Champion** Spark Plug Shop Pack. Replaces NGK BPMR6A. Replaces Rotary **11653** shop pack. (24 pc)

Recoil Spring for HUSQVARNA



Order No. 26 - 17893
Recoil Spring replaces Husqvarna 578465101. Fits models 128C, 128CD, 128L, 128LD and 128DJX.

NEW

OUTLAST ROUND TRIMMER LINE
NEON YELLOW

Order No.	Size/Minimum Length	Min Qty.
Loops (12 per case)		
27 - **17561**	.065"/1.7mm x 125' Loop (38 meters)	MIN 10
27 - **17562**	.065"/1.7mm x 250' Loop (76 meters)	MIN 10
27 - **17563**	.080"/2.0mm x 82' Loop (25 meters)	MIN 10
27 - **17564**	.080"/2.0mm x 164' Loop (50 meters)	MIN 10
27 - **17565**	.095"/2.4mm x 60' Loop (18 meters)	MIN 10
27 - **17566**	.095"/2.4mm x 120' Loop (36 meters)	MIN 10
27 - **17567**	.105"/2.7mm x 50' Loop (15 meters)	MIN 10
27 - **17568**	.105"/2.7mm x 100' Loop (30 meters)	MIN 10
27 - **17574**	.130"/2.7mm x 30' Loop (9 meters)	MIN 10
27 - **17575**	.130"/2.7mm x 60' Loop (18 meters)	MIN 10



OUTLAST SQUARE TRIMMER LINE
RED

Order No.	Size/Minimum Length	Min Qty.
Loops (12 per case)		
27 - **17583**	.080"/2.0mm x 82' Loop (25 meters)	MIN 10
27 - **17584**	.080"/2.0mm x 164' Loop (50 meters)	MIN 10
27 - **17585**	.095"/2.4mm x 60' Loop (18 meters)	MIN 10
27 - **17586**	.095"/2.4mm x 120' Loop (36 meters)	MIN 10
27 - **17587**	.105"/2.7mm x 50' Loop (15 meters)	MIN 10
27 - **17588**	.105"/2.7mm x 100' Loop (30 meters)	MIN 10
27 - **17594**	.130"/2.7mm x 30' Loop (9 meters)	MIN 10
27 - **17595**	.130"/2.7mm x 60' Loop (18 meters)	MIN 10



Outlast Trimmer Line is built for reliable performance and long lasting wear making it an ideal economic line for both commercial and residential customers. Designed to deliver durablilty without permium cost. Outlast helps dealers offer a dependable, high-turn product with strong value appeal.Engineered for high visibility in any trimming environment, Outlast handles tough grass and weeds with ease while minimizing breakage and downtime. Available in round and square profiles, it provides the flexibility contractors and homeowners need for a wide range of applications.

Throttle Trigger For
MTD



Order No. 27 - 17775

Throttle Trigger for MTD, Cub Cadet and Troy Bilt trimmers. Replaces MTD 753-04119. Fits MTD and Cub models 41AD, 41BD, 41CD, 41DD and many more. Fits Troy-Bilt models 41ADT, 41BDT, 41CDT and many more.

NEW

Throttle Return Spring For MTD



Order No. 27 - 17776
Throttle Return Spring for MTD, Cub Cadet and Troy-Bilt trimmers. Replaces MTD 791-182690. Fits MTD models 41AD, 41BD, 41CD, 41DD and many more. Fits Cub models 41ADC, 41ADZ, 41BDZ, 41CDZ and many more. Fits Troy-Bilt models 41ADT, 41BDT, 41CDT and many more.

Reinforced Spool Head For STIHL



Order No. 27 - 17884
Reinforced Spool to fit Stihl Autocut 25-2 and 27-2 Trimmer Head. Fits Stihl® Models FS 44, 55, 80, 83, 85, 90, 100, 100RX, 110, 120, 130, 200, 250, KM 55, 85, 90, 110, 130, & FS-KM.

Ignition Coil For B&S



Order No. 31 - 17862
Ignition Coil replaces B&S 715023, 715118, 715464, 710044. Fits model series 085400, 185400, 138400 Vanguard Engines.

Ignition Coil For KAWASAKI



Order No. 31 - 17865
Ignition Coil replaces Kawasaki 21171-7035. Fits models FH381V, FH430V, FH480V.

Ignition Coil For KAWASAKI



Order No. 31 - 17866
Ignition Coil replaces Kawasaki 21121-2069. Also replaces John Deere AM109258, M70111. Fits engine model FC540V. Used on John Deere mower models 180, 185, 240, 245, 260, 265, 285, 320.

Ignition Coil For KAWASAKI



Order No. 31 - 17867
Ignition Coil replaces Kawasaki 21121-2083, 21121-2064, 21121-2076. Fits models FD440V, FD501D, FD501V, FD620D.

Ignition Coil For KAWASAKI



Order No. 31 - 17868
Ignition Coil replaces Kawasaki 21121-2105. Fits models FD731V and X540 John Deere. For left side.

Ignition Coil For KAWASAKI



Order No. 31 - 17869
Ignition Coil replaces Kawasaki 21171-0745, 21171-0713, 21171-7039, 21171-0742. Also replaces John Deere UC10836. Fits most models FH601V, FH641V, FH661V, FH680V, FH721V.

NEW

Ignition Coil For KAWASAKI



Order No. 31 - 17882
Ignition Coil replaces Kawasaki 21121-2106. Fits models FD731V and X540 John Deere. For right side.

Ignition Coil For KOHLER



Order No. 31 - 17863
Ignition Coil replaces Kohler 24-584-36-S, 24-584-15-S. Fits specific CH18 thru CH750, CV18 thru CV750 and SV710 thru SV840. Consult parts manual for correct fitment.

Ignition Coil For KOHLER



Order No. 31 - 17864
Ignition Coil replaces Kohler 14-584-16, 14-584-04. Fits models XT6, XT8, XT149, XT173, XT650, XT675, XT775, XT800.

B3C Mulch Stay



Order No. 32 - 17772
Mulch Stay by B3C prevents erosion & washout and color. Dries fast and clear , UV stabilized, and lasting up to 2 years. Plant friendly. Ready to use do not dilute. 1 Gallon.

Blade & Chain Luubricant & Cleaner



Order No. 32 - 17773
Unlock the power of advanced bio-lubrication with Mechanic in a Bottle (MIB). This cutting-edge, eco-friendly formula is designed to tackle the toughest residues, effortlessly breaking down stubborn sap, resin, and gums. Featuring revolutionary surface-bonding, self-cleaning technology, MIB delivers unparalleled lubrication and protection, ensuring your tools and equipment perform at their best and look like new, even after extended use. Keep your gear running smoothly and efficiently time after time with MIB Blade and Chain Lubricant & Cleaner. 8 oz. bottle

Oil Lock Absorbent & Solidifier



Order No. 32 - 17774
B3C's Oil Lock is a super absorbent that quickly absorbs and solidifies oil and other hydrocarbons through molecular capture, creating a non-leaching, low volumetric barrier that immobilizes the hydrocarbon, which is concerted into a solid matrix. (5 lb. bag)

Lock N Lube Grease Coupler Rebuild Kit



Order No. 32 - 17905
Lock N Lube Grease Coupler Rebuild Kit. Kit includes four hardened steel jaws and a threaded cone housing the rubber seal. Works with either the standard Rotary 17376 or XL Rotary 17377 Lock N Lube Grease Coupler.

NEW

CRC Brakleen Brake Cleaner



Order No. 32 - 17922
CRC Brakleen Non-Chlorinated Brake Parts Cleaner, 14 wt oz. Low VOC formula, leaves no residue, and meets all state and federal VOC regulations. Includes PowerJet® Technology.

Cre-Oil Penetrating Oil



Order No. 33 - 17892
Preferred by professionals and made in the USA. Formulated with more aggressive solvents, wetting agents, and a specialty oil that allows Cre-Oil to creep deep into tight crevices to break the surface tension of rust and corrosion, allowing for disassembly. Cre-Oil does not contain silicone which makes it safe to use in autobody shops. Min 12 MIN 12

UTILITY JUG 3 GALLON



Order No. 33 - 3955
A White 3 gallon square multipurpose utility jug.



Order No. 33 - 3956
A Red 3 gallon square multipurpose utility jug.

Multipurpose utility jug designed for your outdoor uses. It features an eronomically contoured handle, a long flexible nozzle and a bottom grip for easy pouring. Excellent for storage and transport of feed, water, attractants, fluids, and other outdoor products. Note, this is not a portable fuel container as described by ASTM, EPA, ARB and other official agencies.

NLGI "OO" Grease

Order No. 33 - 17979
National Lubricating Grease Institute (NLGI) "00" Grade Grease, made from lithium hydroxy stearate and additives that give it adequate performance against wear, corrosion and oxidation of machinery, among other equipment. 28.1 oz bottle.

Order No. 33 - 17701
National Lubricating Grease Institute (NLGI) "00" Grade Grease, made from lithium hydroxy stearate and additives that give it adequate performance against wear, corrosion and oxidation of machinery, among other equipment. 12 - 28.1 oz, Sold in case lots only. Min 12 MIN 12





WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

NEW

Blade Removal Tool



Order No. 33 - 17799
Universal Blade Removal Tool. One of the easiest and safest way to remove and replace mower blades. Secures to the mower deck to prevent blade movement. Manufactured to meet or exceed OEM.

Tera Pump Fuel Transfer Pump



⚠ **Order No. 33 - 17819**
TeraPump TRFA01XL. Battery Powered Fuel Transfer Pump with Auto Stop and Leak Protection, Flexible Intake hose, and Non-spill Auto-Stop Nozzle. Universal Gas Can Adapter for 3 to 5 Gallon Gas Cans, includes 1 Utility Jug Adapter. Flow Rate: 2.5 Gallons per Minute. Requires 4 AA batteries (not included).

Safety Sunglasses from PYRAMEX



⚠ **Order No. 33 - 17957**
Pyramex PMXSPEC Safety Glasses. Matte black and blue frame. Blue mirror anti-fog lense, co-injected temples, adjustable rubber nose piece, 99% protection against UV rays. ANSI /ISEA Z87.1 - 2020 and CAN/CSA Z94.3 - 20 compliant.



⚠ **Order No. 33 - 17958**
Pyramex PMXSPEC Safety Glasses. Shiny black frame with spectrum mirror anti-fog lense, co-injected temples, adjustable rubber nose piece, 99% protection against UV rays. ANSI / ISEA Z87.1 - 2020 and CAN/CSA Z94.3 - 20 compliant.



⚠ **Order No. 33 - 17959**
Pyramex PMXSPEC Safety Glasses. Matte black and green frame with green mirror anti-fog lense, co-injected temples, adjustable rubber nose piece, 99% protection against UV rays. ANSI /ISEA Z87.1 - 2020 and CAN/CSA Z94.3 - 20 compliant.

NEW

Notch Apron Style Chainsaw Chaps



Order No.	Description
33 - 17793	Medium Chainsaw Chaps
33 - 17794	Large Chainsaw Chaps
33 - 17795	X-Large Chainsaw Chaps

The Notch Apron Style Chainsaw Chaps are built with a technical lightweight 5 layer chain stopping protective material UL certified to ASTM F1987-20, meets OSHA reg 1910-266 leg protection standard. Rugged and durable 600D Oxford outer shell, left front Velcro wedge pocket, adjustable 2" waist belt fits up to 48" waist, comfort fit 1" adjustable leg straps with quick snap fasteners, and water and oil resistant.

Hi-Vis Reflective Vest for PYRAMEX (Yellow)



Order No.	Description
33 - 17796	Medium Reflective Vest
33 - 17797	Large Reflective Vest
33 - 17798	X-Large Reflective Vest

Medium Hi-Vis Reflective Vest by Pyramex. ANSI Type R Class 2. Hi-Vis lightweight polyester solid material. 2" silver reflective material. Front hook and loop closure. Meets ANSI/ISEA 107-2020 certifications.

Hi-Vis Reflective Vest for PYRAMEX (Orange)



Order No.	Description
33 - 17916	Medium Reflective Vest
33 - 17917	Large Reflective Vest
33 - 17918	X-Large Reflective Vest

Medium Hi-Vis Reflective Vest by Pyramex. ANSI Type R Class 2. Hi-Vis lightweight polyester solid material. 2" silver reflective material. Front hook and loop closure. Meets ANSI/ISEA 107-2020 certifications.

WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

NEW

ROTARY

SAW CHAIN CUT LOOPS



Pitch	Gauge	Drive Links	ROTARY SAW CHAIN Order No.
1/4" X .050 (Semi-Chisel) - w/o Bumper Link			
1/4"	.050	48	34 - **7126048**
1/4"	.050	58	34 - **7126058**
1/4"	.050	60	34 - **7126060**
1/4"	.050	64	34 - **7126064**

Pitch	Gauge	Drive Links	ROTARY SAW CHAIN Order No.
3/8" (Lo-Pro) x .050 (Full Chisel) - w/o Bumper Link			
3/8"	.050	45	34 - **7224045**



Pitch	Gauge	Drive Links	ROTARY SAW CHAIN Order No.
.325" X .043 (Semi Chisel) - Bumper Link			
.325"	.043	30	34 - **7311030**
.325"	.043	33	34 - **7311033**

Pitch	Gauge	Drive Links	ROTARY SAW CHAIN Order No.
3/8" x .050 (Full Chisel) - w/o Bumper Link			
3/8"	.050	93	34 - **7424093**

Pitch	Gauge	Drive Links	ROTARY SAW CHAIN Order No.
3/8" x .063 (Full Chisel) - w/o Bumper Link			
3/8"	.063	115	34 - **7444115**



Pitch	Gauge	Desc.	ROTARY SAW CHAIN Order No.	Carlton No.	Oregon No.
25 Foot Reels					
.325"	.043	Semi-Chisel w/BL	34 - **7311002**	N/A	N/A

NEW

HARVESTER SAW CHAIN
(Semi-Chisel)
Cut Loops



Pitch	Gauge	Drive Links	ROTARY HARVESTER SAW CHAIN Order No.	Replaces Oregon Part No.	Manufacturer and Model Numbers
.404" X .080 Semi Chisel - w/o Bumper Link					
.404"	.080	99	34 - **7556099**		
.404"	.080	105	34 - **7556105**		
.404"	.080	109	34 - **7556109**		
Use 7/32" file for sharpening.					
3/4" X .122 Chipper Style - w/o Bumper Link					
3/4"	.122	56	34 - **7667056**	11BC-6-56DL	
3/4"	.122	57	34 - **7667057**	11BC-6-57DL	
3/4"	.122	58	34 - **7667058**	11BC-6-58DL	
3/4"	.122	59	34 - **7667059**	11BC-6-59DL	
3/4"	.122	60	34 - **7667060**	11BC-6-60DL	
3/4"	.122	66	34 - **7667066**	11BC-6-66DL	
3/4"	.122	67	34 - **7667067**	11BC-6-67DL	
3/4"	.122	68	34 - **7667068**	11BC-6-68DL	
3/4"	.122	75	34 - **7667075**	11BC-6-75DL	
3/4"	.122	90	34 - **7667090**	11BC-6-90DL	
3/4"	.122	96	34 - **7667096**	11BC-6-96DL	
3/4"	.122	97	34 - **7667097**	11BC-6-97DL	
Use 5/16" file for sharpening.					



50 Foot Reel

Pitch	Gauge	Description	ROTARY HARVESTER SAW CHAIN Order No.	Replaces Oregon Part No.
50 Foot Reel				
3/4"	.122	Chipper Cutter	34 - **7667003**	11BC-6-384DL

.404" use 7/32" file for sharpening. 3/4" uses 5/16" file for sharpening

NEW

Right Harvester Cutter Tooth



Order No. 34 - 17923
Right Harvester Cutter Tooth only for 3/4" BC style chain.
MIN 10

Left Harvester Cutter Tooth



Order No. 34 - 17924
Left Harvester Cutter Tooth only for 3/4" BC style chain.
MIN 10

HARVESTER BARS from ROTARY

Mounting Pattern Q114



Order No. 35 - 17874
35" Harvester Guide Bar with Q114 tail mount Replaces Oregon 902SMRQ114 Speed Max Guide Bar. Uses .404" pitch, .080" gauge chain. 100 drive links.

Order No. 35 - 17873
39" Harvester Guide Bar with Q114 tail mount Replaces Oregon 002SMRQ114 Speed Max Guide Bar. Uses .404" pitch, .080" gauge chain. 110 drive links.

Mounting Pattern T190



Order No. 35 - 17876
43" Harvester Guide Bar with T190 tail mount Replaces Oregon 431EMCT190 EnduraMax Guide Bar. Uses 3/4" pitch, .122" gauge chain. 68 drive links.

Order No. 35 - 17877
50" Harvester Guide Bar with T190 tail mount Replaces Oregon 501EMCT190 EnduraMax Guide Bar. Uses 3/4" pitch, .122" gauge chain. 73 drive links.

Mounting Pattern N114



Order No. 35 - 17878
30" Harvester Guide Bar with N114 tail mount Replaces Oregon 752RHFN114 Endura Max Guide Bar. Uses .404" pitch, .080" gauge chain. 85 drive links.

Mounting Pattern R149



Order No. 35 - 17879
30" Harvester Guide Bar with R149 tail mount Replaces Oregon 752SMRR149 EnduraMax Guide Bar. Uses .404" pitch, .080" gauge chain. 89 drive links.

Mounting Pattern T210



Order No. 35 - 17875
44" Harvester Guide Bar with T210 tail mount Replaces Oregon 441EMCT210 EnduraMax Guide Bar. Uses 3/4" pitch, .122" gauge chain. 66 drive links.

Harvester Guide Bar Nose from ROTARY



Order No. 35 - 17880
Harvester guide bar nose replaces Oregon 537245. Used on .404" pitch, .080" gauge harvester guide bars. 11 Teeth.

Harvester Guide Bar Nose from ROTARY



Order No. 35 - 17881
Harvester guide bar nose replaces Oregon 40603A. Used on 3/4" pitch, .122" gauge harvester guide bars. 9 Teeth.

NEW

CHAIN SAW BARS from ROTARY

Mounting Pattern D009



Order No. 35 - 9632528
28 x 3/8" STD x .050, 93DL Pro Sprocket Bar. Mounting pattern D009. Fits Husqvarna, Jonsered, Dolmar, Partner, and Shindaiwa.



Order No. 35 - 9632532
32 x 3/8" STD x .050, 105DL Pro Sprocket Bar. Mounting pattern D009. Fits Husqvarna, Jonsered, Dolmar, Partner, and Shindaiwa.

Order No. 35 - 9634536
36 x 3/8" STD x .050, 115DL Pro Sprocket Bar. Mounting pattern D009. Fits Husqvarna, Jonsered, Dolmar, Partner, and Shindaiwa.



Air Filter for ECHO



Order No. 39 - 17845
Air Filter replaces Echo A226001820. Fits CS360TES and CS362TES top handle arborist saw.

Air Filter for STIHL



Order No. 39 - 17766
Air Filter replaces Stihl 1137-120-1604. Fits MS192, MS193 and MS194 chainsaws.

Air Filter for STIHL



Order No. 39 - 17844
Air Filter replaces Stihl 1130-141-1700. Fits newer MS170, MS170 C, MS180 and MS180 C 2-mix engines. Newer Style: Found on saws produced post-2014.

TOP COVER BUCKLE CLIP





Secure your Husqvarna chainsaw's cylinder cover with this snap lock. Designed as an OEM replacement part, this snap lock is compatible with select Husqvarna models, ensuring a precise fit for your chainsaw's cylinder cover assembly. Min 10.

Order No.	Description	Min Qty.
39 - 17817	Snap lock buckle clip, Orange	MIN 10
39 - 17818	Snap lock buckle clip, Black	MIN 10


Copperhead Richardson Cap



Order No. 50 - 17896
The Copperhead Richardson cap is popular for its undeniable quality and versatility. It is structured to maintan shape and has an adjustable snapback closure for quick adjustments. Made of 60/40 cotton/polyester on the front and 100% polyester mesh on the back.

NEW

True-Blue Braided Climbing Rope from SAMSON



True-Blue braided climbing rope is a unique combination of extrusion set blue polyester fibers, wrapped over a white polyester core, in a Samson 12 strand dura-tite braid. 1/2" x 150'

samson THE STRONGEST NAME IN ROPE

Rotary #	OEM	ABS	Rope Dia.	Length	Construction	Color
⚠ 43 - 17816	TRBL-150-NS		0.50" / 12.7mm	150'	12-Strand dura-tite Polyester Core	Blue

Sasquatch Max from STERLING



STERLING

The Sterling Sasquatch Max 16-strand arborist rope with a high-visibility, durable polyester sheath and nylon core. Designed for both moving and stationary rope systems, it offers low-stretch, great knotability, excellent performance with mechanical devices and is suitable for climbing. Made in the USA.

Rotary #	OEM	ABS	Rope Dia.	Length	Construction	Color
43 - 17933	SASQMAX-200-NS	7,868 lbs	1/2" / 12.8mm	150'		Green / Orange / Yellow
43 - 17934	SASQMAX-200-NS	7,868 lbs	1/2" / 12.8mm	200'		Green / Orange / Yellow
43 - 17935	SASQMAX-150-TS	7,868 lbs.	1/2" / 12.8mm	150'	Tight Eye	Green / Orange / Yellow
43 - 17936	SASQMAX-200-TS	7,868 lbs.	1/2" / 12.8mm	200'	Tight Eye	Green / Orange / Yellow

Kraken Rigging Rope from STERLING



43 - 17932

STERLING

Kraken is a monster rigging line, ready to take on your biggest, toughest rigging jobs. At the heart of Kraken is a polyester core, giving it it's high strength and robust feel. The jacket is a tight braided polyester that gives Kraken amazing durability, without making it feel brittle.

Rotary #	OEM	ABS	Rope Dia.	Length	Color
43 - 17932	KRKN916-200-NS	14,900 lbs	9/16"	200'	Red

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

NEW

Chainsaw Lanyard from PROCLIMB

U.S. RIGGING SUPPLY

The ProClimb Chainsaw Lanyard features 5 feet of extension, giving you full arm reach and maximum mobility while contracting to just 21 inches. Supports up to 15 lbs. Fits a variety of top handle saws. Built to ANSI 121-2018 standards. Length 21" to 60".



43-17754

Rotary #	OEM	Standards
⚠ 43 - 17754	DP-5013	ANSI 121-2018

Rigging Sling from ROPE LOGIC

ROPE LOGIC™

The Rope Logic 3/4" Streaked Ultra Sling is a high-strength rigging sling designed for arborists, featuring a Sterling Streaked hollow braid rope. It is a versatile, hand-spliced tool used for creating secure, adjustable rigging points around branches or trunks.



Rotary #	OEM	ABS	Rope Dia.	Length	Construction	Color
43 - 17938	100507	18,000 lbs	3/4" / 19.05mm	12'	Streaked Braid Rope	Multi
43 - 17939	100498	16,650 lbs - 21,500	3/4" / 19.05mm	10'	Streaked Dead Eye Sling	Multi
43 - 17940	100500	16,650 lbs - 21,500	3/4" / 19.05mm	20'	Streaked Dead Eye Sling	Multi

Rigging Sling from ROPE LOGIC

ROPE LOGIC™

The Rope Logic Ultra Sling is a high-strength rigging sling designed for arborist tasks, utilizing Sterling Streaked 12-strand rope. It features spliced pockets for quick, adjustable, and secure choking around limbs without knots, and is coated for enhanced abrasion resistance.



Rotary #	OEM	ABS	Rope Dia.	Length	Construction	Color
43 - 17937	100493	3-Sigma of 8,250 lbs	1/2" / 12.70mm	6'	Rigging sling	Purple/Green

Dead Eye Sling from ROPE LOGIC

ROPE LOGIC™

Dead Eye Slings provide a secure choke around limbs and rigging points. Dead Eyes are easy to setup, adjust, and remove, making them a versatile choice for lowering limbs, redirecting lines, or setting anchors in various tree care scenarios.



Rotary #	OEM	ABS	Rope Dia.	Length	Construction	Color
43 - 17941	100511	16,650 - 21,500 lbs	5/8" / 15.87mm	15'	Dead eye sling	Blue/Green
43 - 17942	100512	16,650 - 21,500 lbs	5/8" / 15.87mm	20'	Dead eye sling	Blue/Green

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

NEW

Cargo Carrier Tool from NOTCH



NOTCH

Rotary #	OEM
43 - 17945	99658

Notch cargo tool carrier. A versatile tool carrier with two gates for personalized storage solutions on your harness. Use as two separate carriers or combine gates to use it as one. Or, fold it flat when it's not in use so it stays out of the way.

Hauler 250 Bag from NOTCH



NOTCH

Rotary #	OEM	Color
43 - 17943	40025BT	Black

Notch 250 Bag is constructed of abrasion resistant 900 denier fabric and reinforced seams. Cinch top closure, dual handle carrier. Holds 250' of 1/2" rope, 28L capacity.

Carrier Rope Bag from STERLING



STERLING

Rotary #	OEM	Color
43 - 17944	SCRB-31L-RD	Red

Sterling sturdy rope bag is designed for rescuers, arborist and rope access professionals who need durability and reliability on the job. The main external fabric is made from heavy-duty and abrasion-resistant 900D recycled polyester. The bag offers a WLL of 90 lbs that is clearly marked on the outside of the bag. Rope capacity is 3/8" (300'), 7/16" (200'), 1/2" (200'), 5/8" (150'),

NEW

Six Pack Lowering Device from NOTCH



Revolutionize your tree rigging with the Notch Six Pack Lowering Device — a cutting-edge solution for controlled, efficient lowering of heavy tree sections. Featuring dual rope capability and over ten adjustable friction settings, the Six Pack gives arborists complete control in even the most demanding rigging scenarios.

Rotary #	OEM
43 - 17931	99618

Professional Curve Handsaws from ZUBAT



43-17812



43-17813

Rotary #	Description	OEM	Size
⚠ 43 - 17812	ZUBAT PROFESSIONAL Curve	270-27	270mm
⚠ 43 - 17813	Replacement blade for our Zubat Professional Curve 270mm saw 43-17812.	271-27	270mm

The Zubat Professional Curve makes the Zubat a perfect tool for cutting. This large-tooth 270mm version has a more aggressive tooth profile than the normal Zubat for faster cutting power.

Professional Curve Handsaws from ZUBAT



43-17814



43-17815

Rotary #	Description	OEM	Size
⚠ 43 - 17814	ZUBAT PROFESSIONAL Curve	270-30	300mm
⚠ 43 - 17815	Replacement blade for our Zubat Professional Curve 300mm saw 43-17814.	2701-30	300mm

The Zubat Professional Curve makes the Zubat a perfect tool for cutting. This large-tooth 300mm version has a more aggressive tooth profile than the normal Zubat for faster cutting power.

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov

NEW

Curved Saw with Telescopic Pole from VESCO



43-17897



43-17899



43-17898



43-17900

Rotary #	Description	OEM	Size
⚠ 43 - 17897	Vesco 13" Curved Saw with Telescopic Pole	CA33/3	13"
⚠ 43 - 17899	Vesco 13" Replacement Saw Blade	CA33-R2	13"
⚠ 43 - 17898	Vesco 15" Curved Saw with Telescopic Pole	CA39/3	15"
⚠ 43 - 17900	Vesco 15" Replacement Saw Blade	CA39-R2	15"

Vesco Telescopic Pole with with a curved saw blade made with a special steel with an extra-hard chrome finish. As well as a 5-10 ft telescopic pole with a large non-slip grab handle. Including a snap on locking system.

Barracuda Telescoping Pole Saw from JAMESON



43-17764

Rotary #	Pole Type	OEM	Length	Color
⚠ 43 - 17764	TELESCOPING POLE	TP-6AL-FS	3.4' - 5.6' 41" - 68"	Aluminum

The Jameson Barracuda Telescoping Pole Saw is designed to provide you with unmatched cutting reach, extending effortlessly from 41 inches to 68 inches. This versatility allows you to trim branches and prune high foliage without the need for a ladder. Despite its impressive capabilities, it weighs just 1.4 pounds, making it a breeze to handle. This lightweight powerhouse is perfect for both professionals and DIY enthusiasts, as its design reduces fatigue, allowing you to work longer with ease.

⚠ WARNING: Cancer and Reproductive Harm - www.P65Warnings.ca.gov